

ABSTRACT OF THE DISCLOSURE

5 A powder metal mixture comprises a lubricant powder conventionally used to produce powder metal parts in combination with micronized cellulose fibers in an amount less than 2% by weight of the mixture. The addition of fibers with the lubricant increases green strength of a part made by compacting the mixture and improves dimensional conformance.